

SDS Service Summary

No.: SHAHL26000089101

Date: 07 Jan 2026

Page 1 of 1

SGS Job No. : CZHL2601000024SD
 Applicant : ZHENJIANG HANGTAIXINCAILIAO KEJI CO.,LTD
 Product Name : Anaerobic adhesive (Liquid Tape)
 Composition/Ingredient of product (as per applicant submission) : See section 3 Composition/information on ingredients on the SDS
 Job Receiving Date : 04 Jan 2026
 Last Information Date : 05 Jan 2026
 SDS Preparation Period : 04 Jan 2026-07 Jan 2026

Service Requested : Preparation of Safety Data Sheet (SDS) for the product with submitted information, with calculation of the classification and labeling requirement according to the submitted composition and European Commission Regulation (EC) No 1272/2008.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2020/878, and is provided per attached.

Disclaimer

This Safety Data Sheet (SDS) is provided to applicant to fulfill European Commission Regulation (EC) No 1907/2006 and communicate the hazard information of chemicals through the supply chain to ensure safe use. It is not a test report or a certificate ensuring the safety of a product. SGS has consolidated product information based on documents provided by Applicant (i.e. product name, the supplier details, product composition, available physical data, etc) without independent verification from SGS. The information is provided without any warranty, express or implied, regarding its correctness.

Echo Cai

Echo Cai
Project Engineer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of report, please contact us at telephone (86-755)83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Chemical Laboratory

13th Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 www.sgsgroup.com.cn
t HL (86-21) 61402594 sgs.china@sgs.com

Safety data sheet

Regulation (EC) No.1907/2006 and No.1272/2008

Printing date: 07.01.2026

Version number 1

Revision date: 05.01.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Anaerobic adhesive (Liquid Tape)
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture:** Thread locking and sealing
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
ZHENJIANG HANGTAIXINCAILIAO KEJI CO.,LTD
No. 21-13, Xingxi Road, Dagang, Zhenjiang New Area
Tel: 13805297749
E-mail: spring058@qq.com
- **Only Representative/ other EU contact point:** Not available
- **1.4 Emergency telephone number:**
IRELAND
National Poisons Information Centre
Tel: +353 (01) 809 2566 (For healthcare professionals)
+353 (01) 809 2166 (For public; 8am - 10pm)
- **1.5 Reference Number:** CZHL2601000024SD; SHAHL26000089101

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

- | | |
|-------------------|---|
| Skin Irrit. 2 | H315 Causes skin irritation. |
| Eye Irrit. 2 | H319 Causes serious eye irritation. |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |
| STOT SE 3 | H335 May cause respiratory irritation. |
| | |
| Aquatic Chronic 3 | H412 Harmful to aquatic life with long lasting effects. |

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.
- **Classification system:**
The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]diacrylate
2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate
methacrylic acid, monoester with propane-1,2-diol
AMORPHOUS SILICA

(Contd. on page 2)

Safety data sheet

Regulation (EC) No.1907/2006 and No.1272/2008

Printing date: 07.01.2026

Version number 1

Revision date: 05.01.2026

Trade name: Anaerobic adhesive (Liquid Tape)

(Contd. of page 1)

· Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards**· Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Determination of endocrine-disrupting properties** Not applicable

SECTION 3: Composition/information on ingredients
· 3.2 Mixtures**· Description:**

Mixture of the substances listed below with nonhazardous additions.
For the wording of the listed hazard statements refer to Section 16.

· Composition:

CAS: 4687-94-9 EINECS: 225-144-3	(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]diacrylate ⚠ Skin Sens. 1, H317 substance with a Union workplace exposure limit	40.0%
CAS: 25852-47-5	2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	37.16%
CAS: 27813-02-1 EINECS: 248-666-3	methacrylic acid, monoester with propane-1,2-diol ⚠ Eye Irrit. 2, H319; Skin Sens. 1, H317	10.9%
CAS: 80-15-9 EINECS: 201-254-7 Index number: 617-002-00-8	α,α -dimethylbenzyl hydroperoxide ⚠ Org. Perox. E, H242; ⚠ Acute Tox. 3, H331; ⚠ STOT RE 2, H373; ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 % STOT SE 3; H335: C < 10 % substance with a Union workplace exposure limit	2.5%
CAS: 112945-52-5	AMORPHOUS SILICA ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 substance with a Union workplace exposure limit	2.5%
CAS: 139-33-3 EINECS: 205-358-3	Disodium dihydrogen ethylenediaminetetraacetate ⚠ STOT RE 2, H373; ⚠ Acute Tox. 4, H332	0.4%
CAS: 114-83-0 EINECS: 204-055-3	2'-phenylacetohydrazide ⚠ Acute Tox. 3, H301	0.14%

(Contd. on page 3)

Safety data sheet

Regulation (EC) No.1907/2006 and No.1272/2008

Printing date: 07.01.2026

Version number 1

Revision date: 05.01.2026

Trade name: Anaerobic adhesive (Liquid Tape)

(Contd. of page 2)

· Remark :

The safety data sheet (SDS) is created in accordance with the provided chemical composition. The ingredient information of product is confidential as a trade secret. Details on the chemical composition of the formulation can be provided from the formulation owner and/or the chemical supplier(s) upon request.

(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] diacrylate (CAS No.4687-94-9)

Synonym: Vinylester of bis-phenol

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth with water.

Never give anything by mouth to an unconscious person.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture No further relevant information available.

· 5.3 Advice for firefighters**· Protective equipment:**

Wear fully protective suit.

Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes.

Avoid contact with skin.

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety data sheet

Regulation (EC) No.1907/2006 and No.1272/2008

Printing date: 07.01.2026

Version number 1

Revision date: 05.01.2026

Trade name: Anaerobic adhesive (Liquid Tape)

(Contd. of page 3)

- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Keep receptacles tightly sealed.
Avoid contact with eyes and skin.
Open and handle receptacle with care.
Prevent formation of aerosols.
For the general occupational hygienic measures refer to Section 8.
- **Information about fire - and explosion protection:** Normal measures for preventive fire protection.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 80-15-9 α,α -dimethylbenzyl hydroperoxide

MAK (Germany) als Dampf und Aerosol; vgl. Abschn. Xa

CAS: 112945-52-5 AMORPHOUS SILICA

MAK (Germany) Long-term value: 0.02A mg/m³
vgl. Abschn. V

CAS: 4687-94-9 (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]diacrylate

MAK (Germany) vgl. Abschn. IV

- **Regulatory information** MAK (Germany): MAK- und BAT-Liste
- **DNELs:** Data not available
- **PNECs:** Data not available
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure**
- **Appropriate engineering controls**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.

(Contd. on page 5)

Safety data sheet

Regulation (EC) No.1907/2006 and No.1272/2008

Printing date: 07.01.2026

Version number 1

Revision date: 05.01.2026

Trade name: Anaerobic adhesive (Liquid Tape)

(Contd. of page 4)

Avoid contact with the eyes and skin.

See Section 7 for information about design of technical facilities.

· **Individual protection measures, such as personal protective equipment**

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eyeface protection**



Tightly sealed goggles

· **Body protection:** Protective work clothing

· **Thermal hazards:** Not required for normal conditions of use.

· **Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· Physical state	Liquid
· Colour:	Fuchsia
· Odour:	Slightly smelly
· Odour threshold:	Data not available
· Melting point/freezing point:	Data not available
· Boiling point or initial boiling point and boiling range	Data not available
· Flammability	Data not available
· Lower and upper explosion limit	
· Lower:	Data not available
· Upper:	Data not available
· Flash point:	Data not available
· Auto-ignition temperature:	Data not available
· Decomposition temperature:	Data not available
· pH	Data not available
· Viscosity:	
· Kinematic viscosity	Data not available
· Dynamic viscosity:	Data not available

(Contd. on page 6)

Safety data sheet

Regulation (EC) No.1907/2006 and No.1272/2008

Printing date: 07.01.2026

Version number 1

Revision date: 05.01.2026

Trade name: Anaerobic adhesive (Liquid Tape)

(Contd. of page 5)

· Solubility	
· water:	Data not available
· Partition coefficient n-octanol/water (log value)	Data not available
· Vapour pressure:	Data not available
· Density and/or relative density	
· Density:	Data not available
· Relative density:	Data not available
· Relative vapour density:	Data not available
· Particle characteristics:	Not applicable

· 9.2 Other information

· Appearance:	
· Form:	Paste

· Information with regard to physical hazard classes	
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	Not applicable
· Desensitised explosives	Not applicable
· Other safety characteristics	Data not available

SECTION 10: Stability and reactivity

- 10.1 Reactivity: No decomposition if used according to specifications.
- 10.2 Chemical stability: Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 80-15-9 α,α -dimethylbenzyl hydroperoxide
--

Oral	LD50	382 mg/kg (rat)
------	------	-----------------

(Contd. on page 7)

Safety data sheet

Regulation (EC) No.1907/2006 and No.1272/2008

Printing date: 07.01.2026

Version number 1

Revision date: 05.01.2026

Trade name: Anaerobic adhesive (Liquid Tape)

(Contd. of page 6)

CAS: 112945-52-5 AMORPHOUS SILICA

Oral LD50 3,160 mg/kg (rat)

CAS: 114-83-0 2'-phenylacetohydrazide

Oral LD50 270 mg/kg (mouse)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

· **11.2 Information on other hazards**· **Endocrine disrupting properties**

None of the ingredients is listed.

- **Other information** No further relevant information available.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
- The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:**
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR/RID/ADN, IMDG, IATA** Not applicable
- **14.2 UN proper shipping name**
- **ADR/RID/ADN, IMDG, IATA** Not applicable

(Contd. on page 8)

Safety data sheet

Regulation (EC) No.1907/2006 and No.1272/2008

Printing date: 07.01.2026

Version number 1

Revision date: 05.01.2026

Trade name: Anaerobic adhesive (Liquid Tape)

(Contd. of page 7)

· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, IMDG, IATA	
· Class	Not applicable
· Label	Not applicable
· 14.4 Packing group	
· ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.5 Environmental hazards	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable
· 14.8 Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

- **Regulation (EU) No 649/2012**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

None of the ingredients is listed.

- **Other regulations, limitations and prohibitive regulations**

- **SVHC Candidate List of REACH Regulation Annex XIV Authorisation (5/11/2025)**

None of the ingredients is listed.

- **REACH Regulation Annex XVII Restriction (2/10/2025)**

See Section 16 for information about restriction of use.

None of the ingredients is listed.

- **REACH Regulation Annex XIV Authorisation List (13/11/2023)**

None of the ingredients is listed.

(Contd. on page 9)

Safety data sheet

Regulation (EC) No.1907/2006 and No.1272/2008

Printing date: 07.01.2026

Version number 1

Revision date: 05.01.2026

Trade name: Anaerobic adhesive (Liquid Tape)

(Contd. of page 8)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· **Relevant hazard statements**

H242 Heating may cause a fire.
 H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H331 Toxic if inhaled.
 H332 Harmful if inhaled.
 H335 May cause respiratory irritation.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H411 Toxic to aquatic life with long lasting effects.

· **Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Specific target organ toxicity (single exposure) Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
---	--

· *****
 The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2020/878.

DISCLAIMER OF LIABILITY :

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· **Date of issue:** 05.01.2026

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Org. Perox. E: Organic peroxides – Type E/F
 Acute Tox. 4: Acute toxicity – Category 4
 Acute Tox. 3: Acute toxicity – Category 3
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 10)

Safety data sheet
Regulation (EC) No.1907/2006 and No.1272/2008

Printing date: 07.01.2026

Version number 1

Revision date: 05.01.2026

Trade name: Anaerobic adhesive (Liquid Tape)

(Contd. of page 9)

*Skin Sens. 1: Skin sensitisation – Category 1**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2**Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*

. *****

End of document

EU